To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope 1 (attended to com); Lambert, Nonresponsive based on revised scope (attended to com); Nonresponsive based on revised scope (attended to com);
<u>! Nonresponsive based on revised scops :@epa_qo</u> v]; Graybill, Eric[graybill.eric@epa.gov]; Fortune, Warren[Fortune.Warren@epa.gov]
From: Nonresponsive based on revised scope 1/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP
FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=29594540F9864AD2AB18944AF0A52E05-{Nonespositive based on revited stope-}
Sent: Wed 3/3/2021 3:36:14 PM (UTC)
Subject: 49307 - Validated Electronic Data for Shiloh Church Road
49307 C0C18 LTR.pdf
19307_C0C18_DVR.pdf
49307 C0C18 SSR.pdf
EQUIS 1 49307 COC18 VAL.xls
EQUIS 2 49307 COC18 VAL.xls
<u>EQuIS 3_49307_C0C18_VAL.xls</u> EQuIS_49307_C0C18_VAL.xls
EQUIS 49307 COCTO VAL.XIS
Dear Christine,
Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # 49307, SDG C0C18. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).
Please contact ESAT's RPO, Eric Graybill by phone at 410-305-2665 or e-mail at Graybill.Eric@epa.gov if additional assistance is needed.

TO # 0002 TDF # 0221019



ICF | 701 Mapes Road, Fort Meade, MD 20755-5350